


LED Test Report

Product Mark

Product Type :123456
 Temperature :MIKE'C
 Operator :MIKE
 Remark:

Manufacturer :fd
 Humidity :65%
 Test Date :2019-01-21 14:32:20



Chroma Parameters

Chro.Coor.:x=0.4486 y=0.4056 u=0.2575 v=0.3491 duv=-0.0008
 CCT: 2824K Dominant Wave.:583.9nm Purity:56.4%
 Flux RGB Ratio:R=26.4%,G=72.0%,B=1.5% Peak Wave:634.7nm Half Width:155.8nm

Rendering Index:Ra= 97.6

R1 =98 R2 =100 R3 =96 R4 =96 R5 =98 R6 =98 R7 =98 R8 =98
 R9 =94 R10=98 R11=93 R12=97 R13=99 R14=97 R15=99

Photo Parameters

Flux:890.18lm Effi.:67.7lm/W Radiant:3823.3mW Iv:0.0mcd
 Efficiency:0.188 Effi Level:A (EU 874-2012)

Ele. Parameters

Voltage:U=221.600V Current:I=0.0600A
 Power:P=13.14W Power Factor:PF=0.973

Instrument state

Instrument:Hopoo HP8000S Integral Time: 106.626ms VPeak: 15701
 VDark: 1292 Scan Range: 380-780nm Product ID: 201703239