


Light Source Test Report



Color Parameters:

Chromaticity Coordinate: x=0.3082 y=0.3302
 Chromaticity Coordinate: u'=0.1943 v'=0.4683 (duv=6.09e-03)
 Tc=6742K Dominant WL:Ld=490.1nm Purity=8.7% Centroid WL:536.0nm
 Ratio:R=14.3% G=79.7% B=6.0% Peak WL:Lp=455.0nm HWL:22.7nm
 Render Index:Ra=83.9
 R1 =82 R2 =92 R3 =94 R4 =80 R5 =82 R6 =87 R7 =87
 R8 =68 R9 =8 R10=79 R11=80 R12=56 R13=86 R14=97 R15=77

Photo Parameters:

Flux: 2630.8 lm Fe: 8.4965 W Efficacy:121.1 lm/W

Electrical Parameters:

Luminaire: U=231.47V I=0.1001A P=21.72W PF=0.9365

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] Ip=22419 (G=4,D=60)
 REF=9234 (R=3) %=-0.033% PMT: 37.1 centigrade [150.0]

K=1 15MIN

Product Type:O136
 Number:BLD20220729P51
 Temperature:25.3 deg
 Test Operator:NEIKO
 Software:V3.00.136

Manufacturer:PL
 Test Department:BLD
 Humidity:65.0%
 Test Date:2022-07-29 14:56:16
 Instrument:PMS-50SSA_V1 (SN:1008007)